



**Secretariat**

Distr.  
GENERAL

ST/SG/SER.E/156  
13 February 1987

ORIGINAL: ENGLISH

---

COMMITTEE ON THE PEACEFUL USES  
OF OUTER SPACE

INFORMATION FURNISHED IN CONFORMITY WITH THE CONVENTION  
ON REGISTRATION OF OBJECTS LAUNCHED INTO OUTER SPACE

Note verbale dated 6 February 1987 from the Permanent Mission of  
Canada to the United Nations addressed to the Secretary-General

The Permanent Mission of Canada to the United Nations presents its compliments to the Secretary-General of the United Nations and, in conformity with article IV of the Convention on Registration of Objects Launched into Outer Space, has the honour to provide, in the attached annexes, registration information concerning Canadian satellites Anik C-1 and Anik C-2.

Annex I

1. Name of launching State: Canada
2. Designator: Anik C-1
3. Date of launch: 12 April 1985
4. Location of launch: Cape Canaveral, United States of America
5. Launch vehicle: STS
6. Nodal period: Geostationary orbit
7. Inclination: -
8. Apogee: -
9. Perigee: -
10. Longitude: 107.5 West
11. Frequencies and transmitter powers: Table attached
12. Purpose: Telecommunications
13. Operating entity: TELESAT Canada

Annex II

1. Name of launching State: Canada
2. Designator: Anik C-2
3. Date of launch: 18 June 1983
4. Location of launch: Cape Canaveral, United States of America
5. Launch vehicle: STS
6. Nodal period: Geostationary orbit
7. Inclination: -
8. Apogee: -
9. Perigee: -
10. Longitude: 110 West
11. Frequencies and transmitter powers: Table attached
12. Purpose: Telecommunications
13. Operating entity: TELESAT Canada

Appendix I

ANIK C-1 TRANSMIT FREQUENCIES AND POWERS

<u>Frequency (MHz)</u>	<u>Transmit power* (watts)</u>
11 730	11.2
11 743	11.2
11 791	11.2
11 804	11.2
11 852	11.2
11 865	11.2
11 913	11.2
11 926	11.2
11 974	11.2
11 987	11.2
12 035	11.2
12 048	11.2
12 096	11.2
12 109	11.2
12 157	11.2
12 170	11.2

---

\* At input of transmit antenna (typical saturated carriers).

Appendix II

ANIK C-2 TRANSMIT FREQUENCIES AND POWERS

<u>Frequency (MHz)</u>	<u>Transmit power* (watts)</u>
11 730	11.2
11 743	11.2
11 791	11.2
11 804	11.2
11 852	11.2
11 865	11.2
11 913	11.2
11 926	11.2
11 974	11.2
11 987	11.2
12 035	11.2
12 048	11.2
12 096	11.2
12 109	11.2
12 157	11.2
12 170	11.2

\* An input of transmit antenna (typical saturated carriers).

-----